

SAFETY DATA SHEET ACCORDING TO REGULATION (EC) 1907/2006

CLADE**Product name: AquaCid H****Creation date: 10.05.2021, Revision: 04.11.2021, version: 1.0**

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name
AquaCid H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Equipment/device disinfectant

Uses advised against
Do not use for purposes other than those prescribed.

1.3 Details of the supplier of the safety data sheet

Supplier	Manufacturer
CLADE GmbH	CLADE GmbH
Schelztorstraße 54-56	Schelztorstraße 54-56
73728 Esslingen, Germany	73728 Esslingen, Germany
+49 711-400 52 400	+49 711-400 52 400
info@clade.io	info@clade.io

1.4 Emergency Telephone Number

Emergency
112

Supplier
-

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)
Flam. Liq. 3; H226 Flammable liquid and vapour.
Skin Corr. 1C; H314.1C Causes severe skin burns and eye damage.
Skin Sens. 1; H317 May cause an allergic skin reaction.
Eye Dam. 1; H318 Causes serious eye damage.
Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

**Signal word: Danger**

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national regulation.

Contains:

4-chloro-3-methylphenol

2-Benzyl-4-chlorophenol

2.3 Other hazards

No information.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

For mixtures see 3.2.

3.2 Mixtures

Name	CAS EC Index Reach	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	Notes for substances
Paraffin oils, sulfochlorinated, saponified	68188-18-1 269-144-1 - 01-2119517577-32	7-15	Skin Irrit. 2; H315 Eye Irrit. 2; H319	/	/
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119455582-50	< 8	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	/	/
4-chloro-3-methylphenol	59-50-7 200-431-6 604-014-00-3 01-2119938953-25	4,3	Acute Tox. 4; H302 Skin Corr. 1C; H314.1C Skin Sens. 1B; H317.1B Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400; M = 1 Aquatic Chronic 3; H412	/	/
sodium alkylether sulphate	68585-34-2 500-223-8 -	1-5	Skin Irrit. 2; H315 Eye Irrit. 2; H319	/	/
2-Benzyl-4-chlorophenol	120-32-1 204-385-8 -	2,4	Skin Corr. 1B; H314.1B Aquatic Acute 1; H400; M = 1 Aquatic Chronic 1; H410; M = 1	/	/

biphenyl-2-ol	90-43-7 201-993-5 604-020-00-6 01-2119511183-53	2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400; M = 1	/	/
sodium hydroxide	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	< 1	Met. Corr. 1; H290 Skin Corr. 1A; H314.1A	Skin Corr. 1A; H314.1A; C ≥ 5% Skin Corr. 1B; H314.1B; 2% ≤ C < 5% Skin Irrit. 2; H315; 0.5% ≤ C < 2% Eye Irrit. 2; H319; 0.5% ≤ C < 2%	/

SECTION 4: FIRST AID MEASURES

4.1 First aid measures

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician.

Following inhalation

Remove patient to fresh air - move out of dangerous area. If symptoms develop and persist, seek medical attention.

Following skin contact

Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. If symptoms develop and persist, seek medical attention.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. Consult a physician immediately!

Following ingestion

Do not induce vomiting! Rinse mouth with water and drink a glass of water by sips! If vomiting occurs, the patient should hold the head lower than the hips, because it reduces the possibility of aspiration. Consult a physician. Show the physician the safety data sheet or label.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation. Coughing, sneezing, nasal discharge, labored breathing.

Following skin contact

Redness, ulcers, pain. Skin burns: Signs/symptoms may include localised redness, swelling, itching, dryness, blistering. May cause sensitisation by skin contact (symptoms: itching, redness, rashes).

Following eye contact

Redness, pain, burning sensation, tearing, can cause permanent damage to the eyes.

Following ingestion

May cause nausea/vomiting and diarrhea.

4.3 Indication of any immediate medical attention and special treatment needed

Attention, the product can act as a local anesthetic at high concentrations; symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Flammable liquid and vapours. In case of a fire toxic gases can be generated; do not inhale gases/smoke. In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO₂).

Sulphuric oxides (SO_x).

Nitrogen oxides (NO_x).

Hydrogen chloride (HCl).

Phosphorus oxides (PO_x).

Chlorine compounds.

5.3 Advice for firefighters

Protective actions

Flammable liquid and vapours. In case of fire do not breathe fumes/gases. Cool containers at risk with water spray. If possible remove containers from endangered area. Vapours are heavier than air and spread along floor. Vapours may form explosive mixtures with the air.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking!

Emergency procedures

Prevent access to unprotected personnel. Avoid contact with skin and eyes. Do not breathe vapour or mist. No action shall be taken involving any personal risk or without suitable training.

For emergency responders

Use personal protective equipment.

6.2 Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Stem the spill if this does not pose risks.

For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal

contractor. Make sure the leakage site is well aired.

OTHER INFORMATION

No information.

6.4 Reference to other sections

See also sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures

Measures to prevent fire

Ensure adequate ventilation. Keep away from sources of ignition - no smoking. Use spark-proof tools. Take precautionary measures against static discharges.

Measures to prevent aerosol and dust generation

No information.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

Other measures

No information.

Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin and eyes. Do not breathe vapours/mist.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep in cool and well ventilated area. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep in tightly closed container. Keep away from acids. Keep out of the reach of children.

Packaging materials

No information.

Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking.

Storage class

No information.

Further information on storage conditions

No information.

7.3 Specific end use(s)

Recommendations

No information.

Industrial sector specific solutions

No information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

Name	mg/m ³	ml/m ³	Short-term value mg/m ³	Short-term value ml/m ³	Remark	Biological Tolerance Values
Propan-2-ol (67-63-0)	999	400	1250	500	/	/
Sodium hydroxide (1310-73-2)	/	/	2	/	/	/

Information on monitoring procedures

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

DNEL/DMEL values

For product

No information.

For components

Name	Type	Exposure route	exp. frequency	Remark	value
propan-2-ol	Worker	dermal	long term systemic effects	/	888 mg/kg bw/day
propan-2-ol	Worker	inhalation	long term systemic effects	/	500 mg/m ³
propan-2-ol	Consumer	dermal	long term systemic effects	/	319 mg/kg bw/day
propan-2-ol	Consumer	inhalation	long term systemic effects	/	89 mg/m ³
propan-2-ol	Consumer	oral	long term systemic effects	/	26 mg/kg bw/day

PNEC values

For product

No information.

For components

Name	Exposure route	Remark	value
propan-2-ol	fresh water	/	140.9 mg/L
propan-2-ol	marine water	/	140.9 mg/L
propan-2-ol	water, intermittent release	/	140.9 mg/L

8.2 Exposure controls

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with eyes and skin. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols. Handle in accordance with good industrial hygiene and safety practice.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units available at the workplace.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

Personal protective equipment

Eye and face protection

Safety glasses with side protection (EN 166).

Hand protection

Protective gloves (EN 374). Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The penetration time is determined by the protective glove manufacturer and must be observed. Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves

immediately.

Appropriate materials

Material	Thickness	Penetration Time	Remark
Nitrile	> 0.4 mm	> 480 min	EN 374

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387).

Thermal hazards

No information.

Environmental exposure controls

Substance/mixture related measures to prevent exposure

Avoid discharge into drains and surface waters. Implement measures to protect the environment.

Instruction measures to prevent exposure

No information.

Organisational measures to prevent exposure

No information.

Technical measures to prevent exposure

No information.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

red

Odour

alcohol

Important health, safety and environmental information

Odour threshold	No information.
pH	ca. 11 at 20 °C
Melting point/Freezing point	No information.
Initial boiling point/boiling range	No information.
Flash point	No information.
Evaporation rate	No information.
Flammability (solid, gas)	No information.
Explosion limits (vol%)	No information.
Vapour pressure	No information.
Vapour density	No information.
Density / weight	Density: 1.05 g/cm ³ at 20 °C
Solubility	Water: miscible
Partition coefficient	No information.
Auto-ignition temperature	No information.
Decomposition temperature	No information.
Viscosity	No information.
Explosive properties	No information.
Oxidising properties	No information.

9.2 OTHER INFORMATION

Weight organic solvents

< 8 %
< 15 % (VOC)

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Flammable liquid and vapours. Vapours may form explosive mixture with air. When heated can give off ignitable vapours.

10.2 Chemical stability

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3 Possibility of hazardous reactions

The product is stable under recommended storage and handling conditions.

10.4 Conditions to avoid

Avoid contact with incompatible materials. Protect from heat, direct sunlight, open fire, sparks. Keep away from heat and sources of ignition.

10.5 Incompatible materials

Acids.

10.6 Hazardous decomposition products

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released. Carbon dioxide; Carbon monoxide.

Nitrogen oxides.

Sulphuric oxides. Hydrogen chloride (HCl). Phosphorus oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

(a) Acute toxicity

For components

Name	Exposure route	Type	Species	Time	value	Method	Remark
propan-2-ol	oral	LD ₅₀	rat	/	5050 mg/kg	/	/
propan-2-ol	dermal	LD ₅₀	rabbit	/	12800 mg/kg	/	/
4-chloro-3-methylphenol	oral	ATE	/	/	500 mg/kg	/	/
4-chloro-3-methylphenol	dermal	ATE	/	/	1100 mg/kg	/	/
sodium hydroxide	oral	LD ₅₀	rat	/	2000 mg/kg	/	/

(b) Skin corrosion/irritation

No information.

Additional information

Causes severe burns and skin damage.

(c) Serious eye damage/irritation

No information.

Additional information

Causes serious eye damage.

(d) Respiratory or skin sensitisation

No information.

Additional information

May cause an allergic skin reaction.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

No information.

(h) STOT-single exposure

No information.

Additional information

Inhalation of high concentration of vapors may cause narcotic effects.

(i) STOT-repeated exposure

No information.

(j) Aspiration hazard

No information.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Acute (short-term) toxicity

For components

Name	Type	value	Exposure time	Species	organism	Method	Remark
propan-2-ol	LC ₅₀	> 1000 mg/L	96 h	fish	/	/	/
propan-2-ol	EC ₅₀	> 1000 mg/L	48 h	crustacea	<i>Daphnia</i>	/	/
sodium hydroxide	LC ₅₀	45.4 mg/L	96 h	fish	<i>Oncorhynchus mykiss</i>	/	/

Chronic (long-term) toxicity

No information.

12.2 Persistence and degradability

Abiotic degradation, physical- and photo-chemical elimination

No information.

Biodegradation

No information.

12.3 Bioaccumulative potential

Partition coefficient

No information.

Bioconcentration factor (BCF)

No information.

12.4 Mobility in soil

Known or predicted distribution to environmental compartments

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

12.5 Results of PBT and vPvB assessment

No evaluation.

12.6 Other adverse effects

No information.

12.7 Additional information

For product

Harmful to aquatic organisms. May cause long term adverse effects in the aquatic environment. Water hazard class 2 (self-assessment): hazardous for water. Do not allow to reach ground water, water courses or sewage system. Avoid release to the environment. Contained surfactants are biodegradable in accordance with the Regulation (EC) 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / Packaging disposal

Waste chemical

Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Do not allow product to reach drains/sewage systems. Waste should be handled in accordance with local or national regulations.

Waste codes / waste designations according to LoW

07 01 04* - other organic solvents, washing liquids and mother liquors

Packaging

Deliver completely emptied containers to approved waste disposal authorities. Recycle if possible. Recycling is preferred to disposal or incineration. Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. The packaging must be disposed in accordance with local or national regulations.

Waste codes / waste designations according to LoW

No information.

Waste treatment-relevant information

Disposal in accordance with the Rules on the management of waste.

Sewage disposal-relevant information

Do not discharge into drains.

Other disposal recommendations

No information.

SECTION 14: TRANSPORT INFORMATION

ADR/RID	IMDG	IATA	ADN
---------	------	------	-----

14.1 UN number			
UN 2924	UN 2924	UN 2924	UN 2924
14.2 UN proper shipping name			
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol, 4-chloro-3-methylphenol)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol, 4-chloro-3-methylphenol)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol, 4-chloro-3-methylphenol)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (propan-2-ol, 4-chloro-3-methylphenol)
14.3 Transport hazard class(es)			
3	3	3	3
14.4 Packing group			
III	III	III	III
14.5 Environmental hazards			
NO	NO	NO	NO
14.6 Special precautions for user			
Limited quantities 5 L Special provisions 274 Packing Instructions P001, IBC03, R001 Transport category 3 Tunnel restriction code (D/E)	Limited quantities 5 L EmS F-E, S-C	Limited Quantity, Packing Instructions (Ltd Qty, Pkg Inst) Y342 Limited Quantity, Maximum Net Quantity/Package (Ltd Qty, Max Net Qty/Pkg) 1 L Packing Instructions (Pkg Inst) 354 Maximum Net Quantity/Package (Max Net Qty/Pkg) 5 L Special provisions A3, A803	Limited quantities 5 L
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code			
Goods may not be carried in bulk in bulk containers, containers or vehicles.	Goods may not be carried in bulk in bulk containers, containers or vehicles.	Not given/not applicable	Not given/not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)
not applicable

Regulation EC 648/2004 on detergents

> 15%: anionic surfactants;< 5%: phosphonates, perfumes (Benzyl Salicylate, Coumarin, Eugenol, Linalool)

Special instructions

Observe the regulations on employment and protection against dangerous substances for young people, pregnant women and nursing mothers.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Indication of changes

3.2 Mixtures 8.1 Control parameters 9.1 Information on basic physical and chemical properties 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Key literature references and sources for data

No information.

Abbreviations and acronyms

ATE - Acute Toxicity Estimate

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CEN - European Committee for Standardisation

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment

CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level

DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances

ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW – see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods

IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC50 - Lethal Concentration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet
SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

List of relevant H phrases

H225 Highly flammable liquid and vapour.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.